

## **3RU-Rack Unit**

### **Server Specification**

- Intel 3 GHz Xeon Processor
- 80GB system drive
- Mirrored OS optional
- Up to 8 Gigabit Server Ports (2 supplied as standard)
- 2GB ECC DDR RAM
- Triple Redundant power supplies
- EditShare Administration Software with Server Dongle
- 3ware Hardware based RAID 5 controller with management software
- Up to two 8-port RAID cards or one 16-port RAID card
- 8-port Gigabit Ethernet Switch
- Uninterruptible Power Supply
- 6 CAT 6 Cables

### **Storage Capacity**

- 16 hot-swappable drive bays...
- Drive sizes – 320, 500 or 750 GB
- Available as FULL or HALF FULL chassis
- Available with 2.5TB, 4TB, 5TB, 6TB, 8TB, 12TB

(1 TB=1000000 Megabytes)

### **Dimension**

- 27"(D) X 19"(W) X 5.25"(H)
- 69cm (D) x 48cm (W) x 14cm (H)

### **Gross Shipping Weight**

- (approx) 110 pounds or 50 kg

## **5RU- Rack Unit**

### **Server Specifications**

- Intel 3 GHz Xeon Processor
- 80GB system drive
- Mirrored OS optional
- Up to 8 Gigabit Server Ports (2 supplied as standard)
- 2GB ECC DDR RAM
- Quadruple Redundant power supplies
- EditShare Administration Software with Server Dongle
- 3ware Hardware based RAID 5 controller with management software
- One or two 12-port RAID cards
- 8-port Gigabit Ethernet Switch
- Uninterruptible Power Supply
- 6 CAT 6 Cables

### **Storage Capacity**

- 24 hot-swappable drive bays
- Drive sizes – 320, 500 or 750 GB
- Available as FULL or HALF FULL chassis
- Available with 3.8TB, 6TB, 7.6TB, 9TB, 12TB and 18TB

(1 TB=1000000 Megabytes)

### **Dimension**

- 25.4" (D) x 19" (W) x 1" (H)
- 65cm (D) x 48cm (W) x 23cm (H)
- Gross Shipping Weight
- (approx) 150 pounds or 70 kg

### **Gross Shipping Weight**

- (approx) 150 pounds or 70 kg

## **8RU- Rack Unit**

### **Server Specifications**

- Intel 3 GHz Xeon Processor
- 80GB system drive
- Mirrored OS optional
- Up to 8 Gigabit Server Ports (2 supplied as standard)
- 2GB ECC DDR RAM
- Quadruple Redundant power supplies
- EditShare Administration Software with Server Dongle
- 3ware Hardware based RAID 5 controller with management software
- One 16-port RAID card and/or two 12-port RAID cards
- 8-port Gigabit Ethernet Switch 2200 VA
- Uninterruptible Power Supply
- 6 CAT 6 Cables

### **Storage Capacity**

- 40 hot-swappable drive bays
- Drive sizes – 320, 500 or 750 GB
- Available with 16, 24 or 40 drives
- Available with 5.1TB, 7.6 TB, 8TB, 12TB, 18TB, 20TB, or 30TB

(1 TB=1000000 Megabytes)

### **Dimension**

- 25.4" (D) x 19" (W) x 14" (H)
- 65cm (D) x 48cm (W) x 37cm (H)

### **Gross Shipping Weight**

- (approx) 210 pounds or 90 kg

## **EditShare Field**

### **Specification**

- DV / SD / HD (compressed)
- 2 streams uncompressed SD
- 10 streams DV25
- Cross platform support (Mac and PC)
- Mixed Software Environments
- Supports workstations and laptops
- Quota control
- Project Sharing with Avid and Apple
- RAID 5 protected storage
- 3TB in a small form factor
- 300mm (w) x 225mm (h) x 330mm (d)
- Inexpensive Gigabit Ethernet protocol
- Portable and ruggedized design
- Built-in UPS
- Dual Redundant External Power Supplies

## **EditShare Metro**

### **Specification**

- 4 or 8 x SATAII hard disc drives with RAID-5
- Dual Core CPU (3 Ghz)
- Includes 2 Gigabit Ethernet ports (more ports optional)
- Supplied with DVD-Rom drive installed
- EditShare V5.x Administration software
- Support for Chinese GUI
- 4U convertible tower case with rackmount option
- 8x 1" SATA Hot-swappable Drive Bays
- 3x 5.25" Peripheral Drive Bays
- 7x Full-height, Full-length expansion slots
- Hot-Swappable 5000 RPM Cooling Fans
- Rear-Exhaust Fans
- 2x Front USB Ports
- Locking Bezel with Filter
- Power Supply: 800w with PFC (Redundant PSU)
- AC Voltage: 100-240V, 50-60Hz, 10-4Amp